

---

# Index

## A

14Chrono Centre, Queen's University  
Belfast 35, 66  
*Abies* 77, 82, 96  
*Acacia* 78, 80–1, 88, 91  
*Acanthus* 78, 80–1, 89, 93  
*Adiantum capillis-veneris* 77, 101  
aeolian deposits 29, 38–9, 74, 170, 205,  
208, 211, 215  
African Red Slip pottery 250  
age-depth modelling 41, 49, 64, 87, 117,  
237  
*Agrostemma githago* 77–8, 89, 91, 101  
*Allium*-type 78, 80–2, 88, 92, 96  
alluvial soils 29, 35, 38–40, 51, 53, 55,  
59, 128, 133, 152–3, 158, 193–4,  
196–8, 203, 205, 212, 316  
*Alnus* 78, 80–1, 88, 96  
*Ambrosia*-type 78, 88, 96, 100  
*Ancylus fluviatilis* 116, 118, 134, 138,  
144, 146, 149  
Anthropocene 254–5, 257, 264  
Apiaceae 78, 80–1, 83, 89, 91, 93–4,  
97–9, 101  
aquifer 28, 31–2, 110, 234, 314–5, 352  
Arab 37, 113, 152, 250–1, 285, 288,  
304–5, 323  
*Arabis* 112  
*Arenaria*-type 78, 92, 94  
aridification 5, 9–10, 73, 108, 111, 127,  
133, 155, 212, 217, 219, 221, 237,  
305, 307–8, 310–1, 314, 318, 321,  
323  
aridity 31, 32, 38, 40, 49, 59, 74, 108,  
157, 235, 260, 263, 285, 303, 305,  
307, 314–6, 320  
*Arnium*-type 83, 85–6, 93–4, 101, 103,  
108  
*Artemisia* 78, 80–2, 88, 90–2, 94–6, 99,  
101–5  
Ashby Sondage 165–71, 174, 215–216  
Ashby, T. 3, 7, 223, 249, 251

Ashby, T., publications 3, 220, 231, 250  
*Asphodelus* 76, 78, 80–2, 84–8, 90–2,  
94–6, 98–101, 103, 108  
Asteraceae 75, 79–80, 85, 87, 110, 112  
Asteroideae 78, 80–1, 83–6, 89–91,  
93–5, 97, 99, 101, 103  
*Avena* 83–5, 108  
axe, stone (polished) 166

## B

Barley see *Hordeum*  
Baroque art and architecture 293–6,  
298, 300–2  
*Betula* 77, 82  
Birgu 251, 285–7, 293–5, 302, 322  
Birżebbuġa 29, 42–3, 127, 299  
Blue Clay 21, 23, 26, 28, 30–2, 110, 193,  
197–8, 200–3, 205, 208–10, 212–4,  
217–8, 220–1, 235, 262, 264,  
310–3, 318, 322–3  
Bonanno, A. 4, 230  
Bonanno, A., publications 4, 53–4, 56,  
71, 127, 159, 230–1, 236, 241–3,  
247, 250, 258, 319  
*Borago* 108  
*Borago officinalis* 77, 80, 83–5  
Borġ in-Nadur 15, 42, 52–3, 105, 111,  
127, 228, 234, 242–3, 246, 263,  
320,  
Borġ in-Nadur, phase 68, 70, 103,  
243–6, 260, 320  
*Botrychium* 78, 82, 84–6, 92, 96, 98–100  
brackish water (evidence for) 21, 115–7,  
153–4, 156, 158, 308,  
Brassicaceae 77, 80–1, 83–7, 89–91,  
93–5, 97–8, 101, 103–5, 108–9  
British period 19, 28, 32, 51, 113, 153,  
252, 264, 268, 283, 298–302, 308,  
313, 322–3  
Bugibba 105, 111, 228, 234, 236, 249  
*Bulinus (Isidora)* cf. *truncatus* 116, 118,  
134, 138, 141–2, 144, 146, 157, 159

## C

calclitic soils 31, 51, 53–5, 174–5, 177,  
179–80, 182, 184–5, 187–8, 190,  
192–6, 198, 203–6, 208–12, 214,  
217–21, 310–1, 321  
Cambridge Gozo survey 4, 6, 9–10, 15,  
223–5, 227–9, 231–3, 235, 237,  
241, 243–4, 250–1, 260, 316  
*Campanula* 77, 82  
*Cantareus apersus* 119  
*Cantareus apertus* 119, 122  
*Caracollina lenticula* 119  
*Carduus*-type 78, 81, 88, 96, 98–100,  
104–5  
*Carlina/Onopordum*-type 78, 80–2, 88,  
90–2, 94–6, 98–105  
Carob see *Ceratonia siliqua*  
*Carpinus* 77, 81, 82, 88  
*Carychium* cf. *schlickumi* 116, 118,  
134–5, 138, 144–7, 149  
Caryophyllaceae 76, 78, 80–2, 88, 90–2,  
94–6, 99–105, 112  
*Cecilioides acicula* 117, 119–27, 129–38,  
140–2, 144–51, 153–4, 158  
*Centaurea* 78, 80–2, 88–9, 90–2, 94, 96,  
99, 101, 103–5, 113  
*Centaurea cyanus* 78, 89, 91  
*Centaurium* 77, 82  
*Centranthus ruber*-type 77, 82  
*Ceratonia siliqua* 74, 76–81, 89, 111, 320  
Cereal pollen 79, 103, 105, 108–113,  
137, 152, 203, 205, 228, 237, 251,  
260, 305–8, 311, 315, 318–20  
Cerealia-type 78, 80–1, 83–5, 97, 102,  
104  
*Cerinth* 77, 89  
*Cernuella caruanae* 119–20, 121–2, 129,  
131, 134, 136–8, 140–2, 144–5,  
148–9, 152  
*Cernuella* cf. *cisalpina* 119  
*Cernuella* cf. *virgata* 119  
*Cernuella* sp. 124

- Chenopodiaceae 76, 78, 80–2, 84–8, 90–2, 94–6, 98–101, 103–5, 108  
 chert 19, 24–5, 26–7, 225, 258, 322  
*Chondrula (Mastur) pupa* 118, 122, 138, 145  
*Cirsium*-type 78, 80–2, 88, 90–2, 94–6, 99, 101–3  
*Cistus* 78, 82, 88, 91–2, 96, 99  
 climate change 5, 10, 108, 153, 156–7, 161, 208, 237, 303, 305–8, 313–6  
*Cochlicella acuta* 119–24, 126, 129–30, 133–7, 140–2, 144–52, 155  
 collapse (social/economic) 4, 7, 70, 236–7, 323  
 colluvial soils 5, 53, 59, 74, 110, 153, 192, 195–6, 204–5, 217–8, 264  
*Convolvulus arvensis*-type 77, 81, 83–6, 89–90, 97, 100, 108  
*Corbula gibba* 137, 139, 142–3, 152  
 coring (methodology) 43–9  
*Corylus*-type 77, 81, 82, 87–8, 96  
 Cyperaceae 78, 80–1, 83–6, 89–91, 93–5, 97–103
- D**
- Daphne* 77, 88, 90–2, 96, 98–100  
 dating, Optically Stimulated Luminescence (OSL) 6, 11, 37–40, 162, 165, 187, 242, 263–4, 310, 321, 353–377  
 dating, radiocarbon 1–2, 4, 6, 9, 11, 35–8, 44, 48, 64–6, 68, 117, 162, 187, 196, 219, 237, 310, 319  
 dating, tephra 11, 40–1  
*Diporothea rhizophila*-type 83–6, 97, 108  
 Dipsacaceae 78, 81–2, 96  
 Dwerja 162, 556
- E**
- Eobania vermiculata* 119–20, 138  
*Ephedra* 77, 81–2, 84, 88, 92, 94, 96, 101  
*Equisetum* 78, 97, 99  
*Erica* 76–7, 80, 102–3, 171  
 Ericaceae 77, 80–2, 84–6, 88, 90–2, 94, 96, 98–100  
*Eucalyptus* 77–8, 80–1, 101, 103, 113, 306  
*Euphorbia* 76–8, 80–1, 83, 89–91, 93–4, 97, 101, 103  
 Evans, J.D. 3, 7–8, 15, 230–1, 234, 243  
 Evans, J.D., publications 1, 3, 49–50, 53, 56, 66, 70–1, 74, 137, 152, 230–1, 234, 236, 241, 243, 246,
- F**
- Fabaceae 78, 80–1, 89–91, 93, 97, 101  
*Fagus* 77, 88, 96
- Ferussacia* (s.str.) *folliculus* 119, 122, 158  
*Filipendula* 78, 97, 100  
 FRAGSUS (Fragility and sustainability in small island environments), project history 1–6, 10–15  
 FRAGSUS, main questions 6–8  
 French, C. 38, 262–3  
 French, C., publications 5, 11, 38, 165, 322  
*Fumana* 77, 80, 92  
 Fungal ascospores 108
- G**
- Galium* 77–8, 80, 83, 85  
*Gentiana* 78, 83, 97  
 geophytes 76, 87  
*Ggantija* 11–2, 14–5, 37–40, 44, 66, 87, 104–6, 111, 161–71, 174–77, 179–81, 183, 187–8, 192–3, 196, 200, 204, 214–9, 221, 228, 231, 234–7, 243, 263, 303, 310, 315, 319–21, 353–5, 358–69, 372, 376,, 535–7, 540, 542–3, 551–3  
*Ggantija*, phase 36–7, 56, 105, 110–1, 128, 154, 230–1, 233–5, 304–5, 307  
 Ghar Dalam 15  
 Ghar Dalam, phase 37, 109, 229–31, 314–5, 318  
 Ghar Dalam, pottery 4, 68, 166, 228, 230–1, 318  
 Ghar ta' Ghejzu 15  
*Gladiolus* 77, 82, 96, 99, 113  
 Globigerina Limestone plateau 109, 308  
 Globigerina Limestone 21, 23–6, 30–1, 49, 57, 162, 193–5, 197–8, 213–4, 218, 225, 227, 234–5, 263–4, 310, 318–9  
 Globigerina Limestone, decorated slab 241  
 Globigerina Limestone, grindstone 246  
 Gouder, T. 4, 230  
 Gozo Castello 285–6, 293, 302, 322  
*Granopupa granum* 118, 120, 122, 129, 134, 138  
 granulometry (cores) 48, 421  
 Greece 5, 38, 66, 111, 250, 289,  
 Greensand 21, 28, 30–1, 197–8, 201–3, 205, 212–4, 218, 220–1, 235, 310–1, 318, 322  
 Grey Skorba, phase 229  
 Grey Skorba, pottery 228, 230–1  
 Grima, R. 10, 31, 49, 112, 161, 220, 225, 234, 236, 250, 258–60, 265  
 ground penetrating radar (GPR) 41–3, 47–8, 351–2  
*Gyraulus (Armiger) crista* 116, 118, 138, 140–2, 157
- H**
- Haġar Qim 3, 11, 44, 234  
 Haġ Saflieni 3, 11, 15, 44, 105, 111, 236  
 hamlets 278, 285, 287–8, 290, 292–4, 297–8, 302  
*Hedera* 76–7, 80, 88 104–5  
*Helianthemum* 78, 80–2, 84–5, 88, 90, 92, 94–6, 101, 104–5  
*Helleborus viridis*-type 77, 96  
*Helleborus* 77, 82  
 hiatus, fifth millennium 36–7, 110, 228–31, 234, 307, 314, 319  
*Hippophae* 78, 96  
*Hordeum* 66–7, 77, 83–5, 89–91, 93–4, 97–9, 101, 103, 108–9, 213, 306–7, 312, 318  
 Hunt, C.O. 4–6, 117, 211  
 Hunt, C.O., publications 5–6, 8, 19, 29, 51, 66, 73–5, 107–8, 110–113, 115–6, 205, 283, 303, 313, 316  
*Hydrobia* sp. 116, 120–6, 129–36, 139, 142–6, 148–52
- I**
- Ilex aquifolium* 77, 92, 94  
 In-Nuffara 11, 14–5, 38, 44, 87, 101, 103, 112–3, 161–2, 164–5, 192–3, 214, 217, 242–3, 320, 555, 563  
*Isoetes* 78, 97, 99  
 Italy 5, 66, 113, 243, 300, 307, 316, 318
- J**
- Juniper see *Juniperus*  
*Juniperus* 74, 77, 82, 92, 96, 109, 171, 251, 306
- K**
- Knights period 37, 49, 51, 103, 113, 133, 152, 217, 251–2, 261, 264, 293–8, 300–2, 304–6, 308, 312, 322–3  
 Kordin 3, 247  
 Kordin, III 8, 11, 15, 44, 231, 234, 236, 320, 563
- L**
- Lactuceae 44, 76, 78–82, 84–8, 90–2, 94–6, 98–105, 109–10, 112–3  
 lagoonal sediments (evidence for) 50, 52, 58, 128, 203, 308  
 Lamiaceae 78, 83, 97  
*Lathyrus* 78, 82, 104–5  
*Lauria cylindracea* 116, 118, 127, 145, 149–51, 153, 156, 158, 308  
 least-cost path (LCP) analysis 268, 270–6, 278, 283,

- Lentisk see *Pistacia*  
*Ligustrum*-type 77, 82, 86, 92, 96  
*Limonium* 76, 78, 88  
*Linaria*-type 77, 81, 92, 94, 96, 101  
*Linum* 77, 80–2, 88, 91–2, 94, 96  
*Littorella*-type 78, 80–1, 89–91, 93–4, 97, 99  
loess deposits 74, 167, 193, 204–6, 209, 218, 227  
*Lotus*-type 78, 80–1, 89–90, 93–4, 97, 101  
Lower Coralline Limestone 21, 23–4, 28–9, 31, 197  
*Lygeum spartum* 76, 78, 80–2, 92, 96  
*Lymnaea (Galba) truncatula* 116, 118, 134  
*Lymnaea* sp. 135–6, 140–2, 144–51
- M**
- Malone, C. 4–7, 230  
Malone, C., publications 1, 4–6, 8, 10, 26, 41, 66, 74, 112, 223–4, 236, 243, 258–60, 307, 315, 317–8, 320  
Maltese Soil Information System Project (MALSIS) 31–2, 67, 262, 268  
*Malva sylvestris*-type 78, 88, 90, 92  
marine reservoir effect (radiocarbon dating) 65  
marine transgression 115, 137, 228  
Marsa 11, 43, 44–5, 55–6, 58, 64, 66, 68–71, 74, 105, 109–13, 115, 117, 128, 133, 134–7, 154, 156–9, 227, 247, 250, 299, 303–9, 317, 355, 359, 417, 421–4, 442–55  
Marsalforn valley 37–40, 43, 47, 161–3, 165, 168–9, 194–7, 214, 218, 220–1, 264, 310, 312–3, 320–1  
Marsaxlokk 11, 43–5, 54–5, 58–9, 63–4, 120–1, 127, 153, 156, 158, 161, 196–7, 208–9, 211–2, 214, 235, 247, 294, 299, 309, 416, 438–40, 528–33, 548, 560  
*Matricaria*-type 78, 81, 88, 90–2, 94, 96  
McLaughlin, R. 159, 322  
Mdina 15, 241, 243, 245, 247, 250–1, 285, 287–9, 292–3, 302, 322  
*Melampyrum* 77–8, 93  
Mellieħa Bay 45, 56–9, 418  
*Mentha*-type 76, 78, 80–1, 83, 89–90, 93–4, 97, 101, 104–5  
*Mercuria* cf. *similis* 122, 138, 144–5, 155–6, 158  
Mġarr ix-Xini survey 225, 248, 250–1  
Mġarr ix-Xini 11, 43–5, 53–4, 58, 64, 66, 68–70, 128–30, 153, 156, 158–9, 308–9, 414–5, 424–6, 456–65, 541  
Mġarr phase 37, 105, 231–232, 234, 304–305
- Mnajdra 3, 11, 44, 234, 236  
Mtarfa 243, 247  
*Muticaria macrostoma* 116, 119, 145  
*Muticaria* sp. 120, 122–6, 129–34, 138, 140, 148
- N**
- Nigella* 77–8, 89, 101  
non-pollen palynomorphs (NPPs) 75, 83, 89, 97, 101, 108,  
North Africa 20–1, 29, 38, 159, 250–1, 260, 285, 314–5  
North West Malta survey 225, 249–51
- O**
- Oak see *Quercus*  
Oat see *Avena*  
obsidian 225  
*Olea* (olive) 71, 74, 77, 103–4, 111–113, 158, 221, 248, 251, 306–7, 312, 316, 321  
*Olea europaea* 76–7, 79–80, 81–2, 86–8, 90–2, 94–6, 98–9, 101, 103, 105, 113  
Olive see *Olea*  
*Ophioglossum* 78, 82, 84–6, 92, 96, 98–100, 102–3  
*Origanum* 77, 92  
*Osmunda regalis* 77, 82, 96  
*Ostrya* 77, 80–2, 87, 88, 92, 94–6, 101–3  
*Ovatella myosotis* 116, 120–6, 129–31, 133–4, 136, 144–52, 155–6, 158  
*Oxychilus (Mediterranea) hydatinus* 116, 119, 122, 124–6, 129–30, 134, 140–1, 151  
*Oxychilus draparnaudi* 116, 119  
*Oxychilus* sp. 144, 146, 148–9  
*Oxyloma elegans* 116, 118, 134, 138, 144–51, 157–9
- P**
- Papillifera papillaris* 119–20, 122–5, 134, 138, 144–6, 150–1  
*Paracentrotus lividus* 117  
*Persicaria maculosa*-type 78, 83–6, 89, 93–5, 97–101  
*Phillyrea* 77, 79, 80–2, 84–6, 88, 92, 94, 96, 99–100, 108, 110  
Phoenician/Punic periods 37, 39, 43, 45, 51, 53–4, 56, 71, 103, 112–3, 128, 152–3, 156–9, 165, 225, 246–50, 258, 260, 304–5, 308–9, 316, 321, 323  
Pine see *Pinus*  
*Pinus* 43–4, 76–7, 79–82, 84–8, 90–2, 94–6, 98–105, 109, 112–3, 171, 251, 306, 308, 316, 321
- Pisidium casertanum* 119, 134  
*Pisidium personatum* 119  
*Pisidium* sp. 138, 142  
*Pistacia* 76–7, 80–2, 84–8, 90–2, 94, 96, 98–101, 107–11, 137, 305–7, 312, 317, 319  
*Planorbis moquini* 118, 134, 138,  
*Planorbis planorbis* 118, 134, 136,  
*Planorbis* sp. 116, 144–9, 151, 156  
*Plantago lanceolata*-type 78, 80–2, 84–6, 88, 90–2, 94–6, 98–101, 103, 108–110, 152, 318  
*Plantago major/media*-type 78, 81, 88, 91–2, 95–6  
Pleistocene, epoch 5, 29, 32, 49, 73–4, 107, 137, 140, 142, 263, 315  
Pleistocene, fauna 29, 115, 137, 140, 142, 315  
Pleistocene, soils and other deposits 32, 49, 73–4, 107, 263  
*Pleurodiscus balmei* 118, 122–3, 125  
Poaceae 47, 75, 78, 80–1, 83–7, 89–91, 93–5, 97–105, 112–3  
*Podospora*-type 83–86, 97–8, 100, 108  
*Polygala*-type 78, 82, 85, 88, 91–2, 101  
*Polygonum aviculare*-type 77–8, 93–4  
*Polypodium* 76–7, 82, 88, 92, 96  
*Pomatias sulcatus* 118, 120, 122–6, 129–31, 134, 138, 140, 144–5  
population size, human 1, 6, 9–10, 15, 37, 110, 227–8, 231, 237, 243, 247–8, 251–2, 254, 257–62, 264–5, 288, 292–4, 298–9, 302, 307–8, 315, 319, 322  
*Portulaca oleracea* 77–8, 83  
*Potamogeton* 78, 83–4, 89–90, 97, 99  
*Potentilla*-type 78, 88, 92  
*Pseudamnica* (s.str.) *moussonii* 116, 118, 122–5, 127–8, 134–6, 140–2, 146–52, 155–6, 158  
*Pseudoschizaea* 84–6, 89–91, 93–4, 97–101, 103, 107–8, 112  
*Pteridium aquilinum* 77, 92, 103, 105  
Pteropsida (monolete) 78, 83, 93, 97, 99  
Pteropsida (trilete) 78, 83, 93, 97–8  
Pteropsida 102–5  
Punic pottery 45, 153
- Q**
- Quercus ilex*-type 76–7, 88, 101  
*Quercus* 76–7, 80–2, 84–8, 90–2, 94–6, 98–9, 101, 105, 108, 111, 306–7
- R**
- Rabat (Gozo) 161, 164, 219, 243, 245, 247, 249–51, 285  
Rabat (Malta) 247, 250, 251, 278, 285, 298

- Ramla valley 37–40, 161–5, 168–9, 175, 193–8, 213–4, 216–8, 220–1, 264, 308, 310, 312–3, 322, 353–8, 373, 535–41, 556
- Ranunculus acris*-type 78, 89–91, 93, 95, 101
- Ranunculus* 76, 78, 81, 83, 97, 99
- Red Skorba, phase 166, 228, 230–1
- Red Skorba, pottery 229
- Renfrew, C. 4, 7, 258–9
- Renfrew, C., publications 1, 4, 37, 66, 68, 223, 248, 258
- revised universal soil loss equation (RUSLE) 66–9, 71, 259
- Rhamnus*-type 76–7, 92
- Ribwort plantain see *Plantago lanceolata*
- Roman period 28, 37, 49, 53–4, 56, 71, 74, 103, 112–3, 117, 127–8, 156–7, 164, 220, 242, 247, 249–50, 304–5, 308, 316, 321, 323
- Rosaceae 77, 80–2, 88, 90–2, 94–6, 99, 101, 103–5
- Rosmarinus*-type 77, 82
- Rubiaceae 77, 81–2, 88, 91–2, 96, 99
- Rubus* 78, 81, 89, 97
- ruderals 90–1, 94–5, 98, 108–9, 306, 312, 318–9, 321
- Rumex obtusifolius* 78, 96
- Rumex* 78, 80–1, 83, 89–91, 93–5, 97, 99, 101, 103–5, 109
- Rumina decollata* 119, 122, 129, 134, 138, 144–5, 147
- S**
- Saflieni phase 37, 105, 110, 304–5, 320
- Salina cores 11, 44–5, 48–50, 57, 64, 66, 68–70, 82–91, 105, 107–13, 117, 133, 137–43, 152, 154–9, 161, 162, 196–7, 211–2, 214, 230, 234, 303–10, 312–4, 317–21, 323, 401–7, 427–8, 466, 478, 561, 563
- Salvia officinalis*-type 77, 96
- Sanguisorba minor*-type 78, 80–2, 88, 92, 94–6
- Santa Verna 3, 8, 11–2, 14–5, 44, 66–8, 70, 87, 95, 102–3, 105–6, 109–10, 161–71, 174, 181, 183, 187–8, 192, 204, 214–9, 221, 223, 227–8, 230–1, 234–5, 237, 243, 251, 303, 310, 318–21, 354, 544–5, 549–51
- Scabiosa columbaria*-type 78, 88
- Scabiosa* 77, 82
- Schistosoma* 157
- Scilla*-type 76–7, 80–1
- Scrophularia* 77, 83
- Sedum*-type 77, 80–2, 84–5, 88, 90–2, 94, 96, 101
- Senecio*-type 78–82, 88, 90–2, 94–6, 98–101, 103
- sesquioxides (soil) 55, 170–1, 174, 177, 179, 181–2, 187–90, 200–1, 203–11, 215
- Sicily 9–11, 20–1, 29, 44, 65, 108–9, 111, 159, 228, 230–1, 242, 246–7, 250, 258, 261, 278, 283, 300, 308, 316, 317–8
- Sideritis* 77–8, 83–5, 104–5, 108
- Siggiewi 298
- Skorba 4, 8, 11, 14–5, 37–40, 44, 66, 74, 109–11, 161–5, 183–8, 215–9, 221, 230–1, 234, 236, 241, 243, 303, 310, 318–21, 353–5, 359, 363, 369, 373, 542, 553–4, 563
- Skorba, ceramic style 68, 231
- Skorba, phase/period 15, 109, 228, 318
- Sordaria*-type 83–6, 89–91, 93–4, 97–101, 103, 108
- Sparganium*-type 78, 89, 97–8
- Spergularia media*-type 77, 82, 85
- Spergula*-type 112
- Sphagnum* 78, 83, 97–8, 102–3
- Sporormiella*-type 83, 85, 89–91, 93–4, 109
- spring (hydrology) 20, 28, 31, 50, 74, 110, 174, 203, 213, 218, 220–1, 225, 228, 234–5, 250, 287, 308, 310, 315–6, 318
- Stoddart, S. 4–5, 230
- Stoddart, S., publications 1, 5, 8, 21, 41, 74, 112–3, 224, 228, 236, 241, 247–8, 251, 258, 260
- storage (of crops, etc.) 8, 246, 250, 290, 319, 320
- Succisa*-type 78, 88, 92
- SUERC Luminescence Research Laboratory 39, 165
- T**
- Ta' Kuljat 15, 227, 228, 237, 243, 320
- Ta' Marziena 15, 161, 192, 217, 221, 227, 235
- Ta' Sawra 243
- Tač-Čawla 8, 11, 15, 37, 44, 161–2, 164, 188–9, 219, 221, 231, 236–7, 249, 308, 319, 546, 555
- Tal-Istabal, Qormi 38–40, 165, 263–4, 353, 363–4, 371, 373, 376
- Tal-Knisja 248
- Tal-Loġġa 248
- Tal-Qadi 49, 105, 111, 234, 236
- Tal-Wei 277–8
- Tamarix* 78, 80–1, 83, 89–91, 93–4, 97, 99, 101, 103, 105
- Tarxien Cemetery, culture/pottery 112, 236–7, 246
- Tarxien Cemetery, phase 37, 105, 151, 236–7, 241, 243–4, 304–5, 315
- Tarxien 3, 11, 15, 44, 105, 111, 234, 236, 241, 243
- Tarxien, phase/period 36–7, 105, 107, 111, 154, 157, 163, 174, 176–7, 180–1, 231, 233–7, 241, 243, 304–5, 307, 315, 320, 322
- Tarxien, pottery 46, 154, 163, 176–7, 180–2, 225, 237
- Tas-Silġ 11, 44, 54, 66, 105, 111–3, 115, 127, 234, 236, 241–3, 246–7, 303–6, 308
- Temple Culture 3–4, 6–7–9, 11, 157, 230–5, 264, 315
- terra rossa* soil 10, 31, 38, 55, 58, 162, 166, 181–2, 190–1, 208–10, 212, 217, 311–2
- terraces and terraced landscapes 10, 20, 25, 31, 38–9, 56, 70, 109, 113, 164, 174–7, 179, 182, 184, 187, 212–3, 215, 217, 219–21, 224, 242, 248–50, 252, 255, 262–5, 270, 310, 313, 316, 318, 320–2
- Tetraclinis* 109
- Theba pisana* 119, 129, 133–4
- Theligionum* 77, 81–2, 84–6, 88, 90–2, 94, 96, 99, 101, 109, 321
- Thermi Ware 105, 112, 236–7, 241–242
- TILIA software 75, 117, 152
- Tilia* 77, 82
- Trifolium*-type 78, 83, 89, 93–4, 101
- Tripterospora*-type 83–6, 89–91, 93–4, 97–8, 100, 108
- Triticum* 66–7, 77, 80, 83–5, 108–9, 213, 306–7, 312, 318,
- Trochoidea spratti* 116, 119, 122, 124, 126, 129–30, 132, 134–8, 140–2, 144–6, 151
- Trump Cut/Sondage 165–7, 170–4, 215–6, 231
- Trump, D. 2–3, 4–5, 7–8, 165, 225, 230–1, 243,
- Trump, D., publications 4, 37, 66, 68, 70, 74, 230–1, 236, 241, 243, 246
- Truncatellina callicratis* 113, 118, 122, 129, 134, 138, 144–5, 158
- Tuberaria* 77, 80–2, 84–7, 92, 94, 96, 99–100
- Tudorella melitense* 118
- Typha* 78, 83–5, 97–8, 100
- U**
- Ugolini, L.M 3, 7
- Ugolini, L.M, publications 3
- Upper Coralline Limestone 21, 23, 28–31, 110, 162, 165–6, 170, 174–6, 179, 181–2, 184, 190, 192, 197–8, 200, 203–15, 217–21, 225,

227, 234–5, 267–8, 310–2, 318,  
320, 322  
*Urtica* 77–8, 81, 83–5, 89, 91, 93, 97,  
101, 108–9, 318

## V

*Valeriana officinalis*-type 78, 101  
*Valeriana* 97  
*Valerianella* 77–8, 89  
Valletta 3–4, 39, 43, 65, 165, 293–5,  
299–302, 322,  
*Vallonia pulchella* 118, 138, 144, 146,  
151  
*Vertigo* cf. *antivertigo* 116, 118, 134,  
138, 144, 146–7, 150–1, 157–8  
vesicular arbuscular mycorrhizae  
(VAMs) 83–6, 89–91, 93–4,  
97–101, 103, 107–8, 112  
villages 31, 213, 251, 278, 285, 287–8,  
292–302  
Vine see *Vitis*  
*Vitis* 71, 77–8, 89, 91, 93–4, 101,  
110–1, 130, 156, 221, 306, 312,  
320–1  
*Vitrea contracta* 118

*Vitrea* sp. 116, 118, 134–8, 140–2  
*Vitrea subrimata* 118

## W

weeds 79, 91, 104–5, 110, 112, 319; see  
also ruderals  
Wheat see *Triticum*  
Wied Dalam 42–3, 52–3  
Wied Żembaq 11, 42–5, 52–3, 57–9,  
62, 64, 66, 68–70, 87, 92–5, 105,  
111–2, 122–8, 153, 155–8, 161–2,  
196–7, 205–7, 210–2, 214, 217–8,  
220–1, 230, 235, 303–6, 308–10,  
313–4, 318, 320, 413, 429–31,  
490–501, 548, 559–60

## X

Xaghra, Brochtorff Circle 4, 6, 8–10, 12,  
15, 115, 118–9, 158, 163, 223–5,  
228, 231, 235–7, 241, 243, 320  
Xemxija burial complex 11, 15, 44, 105,  
111, 228  
Xemxija 11, 40–1, 43–5, 50–1, 57,  
59–61, 64, 66, 68–70, 87,

96–100, 105, 107, 109–13,  
144–59, 161–4, 196–8, 200–1,  
203, 206, 208, 210–2, 214–8,  
220–1, 227, 230, 235, 251, 269,  
303–6, 308–16, 318–21, 323,  
408–12, 432–8, 502–27,  
557–9

*Xerotricha apicina* 119  
*Xerotricha conspurcata* 119, 121, 129  
*Xerotricha* sp. 120, 127, 134, 136, 138  
X-ray fluorescence spectrometry (XRF)  
59  
Xrobb L-Għaġin 15

## Z

Zammit, C. 4  
Zammit, Themistocles 3–4, 7–8, 223,  
236, 241–3  
Zammit, Themistocles, publications  
3, 66, 71, 236, 241–2  
Żebbuġ 298  
Żebbuġ, phase 37, 49, 105, 111,  
230–2, 234–5, 304–5, 307, 314,  
319–20  
Żebbuġ, pottery 166, 228, 230